

NASA

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

MSC INTERNAL NOTE NO. 67-FM-35


APRIL 6, 1967

PARAMETRIC REENTRY STUDY OF ELLIPTIC
EARTH ORBITS WITH APOGEES UP TO
10 000 NAUTICAL MILES

FACILITY FORM 602

N70-35705 (ACCESSION NUMBER)	(THRU)
420 (PAGES)	1 (CODE)
TMX-64477 (NASA CR OR TMX OR AD NUMBER)	30 (CATEGORY)

By William R. Prueff
Flight Analysis Branch



MISSION PLANNING AND ANALYSIS DIVISION
MANNED SPACECRAFT CENTER
HOUSTON, TEXAS

FIGURES

Figure		Page
1	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for a 80/300 nautical mile orbit	
(a)	Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second	4
(b)	Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second	5
(c)	Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second	6
(d)	Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second	7
(e)	Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	8
(f)	Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	9
(g)	Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second	10
(h)	Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second	11
2	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 80/400 nautical mile orbit	
(a)	Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second	12
(b)	Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second	13

Figure		Page
(c)	Flight-path velocity for retrograde $\Delta V = 300$ feet per second	14
(d)	Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second	15
(e)	Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	16
(f)	Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	17
(g)	Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second	18
(h)	Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second	19
3	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for a 80/600 nautical mile orbit	
(a)	Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second	20
(b)	Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second	21
(c)	Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second	22
(d)	Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second	23
(e)	Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	24
(f)	Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	25

Figure		Page
	(g) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second	26
	(h) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second	27
	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 80/800 nautical mile orbit	
	(a) Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second	28
	(b) Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second	29
	(c) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second	30
	(d) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second	31
	(e) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	32
	(f) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	33
	(g) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second	34
	(h) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second	35
5	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 80/1000 nautical mile orbit	
	(a) Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second	36
	(b) Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second	37

Figure		Page
(c)	Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second	38
(d)	Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second	39
(e)	Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	40
(f)	Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	41
(g)	Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second	42
(h)	Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second	43
6	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 80/2000 nautical mile orbit	
(a)	Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second	44
(b)	Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second	45
(c)	Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	46
(d)	Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	47
(e)	Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second	48
(f)	Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second	49

Figure		Page
(g)	Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second	50
(h)	Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second	51
(i)	Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second	52
(j)	Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second	53
(k)	Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second	54
(l)	Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second	55
7	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 80/4000 nautical mile orbit	
(a)	Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second	56
(b)	Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second	57
(c)	Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	58
(d)	Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	59
(e)	Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second	60
(f)	Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second	61

Figure		Page
(g)	Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second	62
(h)	Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second	63
(i)	Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second	64
(j)	Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second	65
(k)	Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second	66
(l)	Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second	67
8	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 80/6000 nautical mile orbit	
(a)	Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second	68
(b)	Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second	69
(c)	Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	70
(d)	Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	71
(e)	Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second	72
(f)	Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second	73

Figure		Page
(g)	Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second	74
(h)	Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second	75
(i)	Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second	76
(j)	Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second	77
(k)	Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second	78
(l)	Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second	79
9	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 80/10 000 nautical mile orbit	
(a)	Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second	80
(b)	Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second	81
(c)	Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	82
(d)	Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	83
(e)	Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second	84
(f)	Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second	85

Figure		Page
(g)	Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second	86
(h)	Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second	87
(i)	Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second	88
(j)	Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second	89
(k)	Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second	90
(l)	Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second	91
10	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for a 100/300 nautical mile orbit	
(a)	Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second	92
(b)	Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second	93
(c)	Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second	94
(d)	Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second	95
(e)	Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	96
(f)	Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	97

Figure		Page
	(g) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second	98
	(h) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second	99
11	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 100/600 nautical mile orbit	
	(a) Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second	100
	(b) Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second	101
	(c) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second	102
	(d) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second	103
	(e) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	104
	(f) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	105
	(g) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second	106
	(h) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second	107
12	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 100/800 nautical mile orbit	
	(a) Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second	108

Figure		Page
	(b) Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second	109
	(c) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second	110
	(d) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second	111
	(e) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	112
	(f) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	113
	(g) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second	114
	(h) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second	115
13	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 100/1000 nautical mile orbit	
	(a) Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second	116
	(b) Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second	117
	(c) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second	118
	(d) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second	119
	(e) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	120
	(f) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	121

Figure		Page
	(g) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second	122
	(h) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second	123
14	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 100/2000 nautical mile orbit	
	(a) Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second	124
	(b) Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second	125
	(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	126
	(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	127
	(e) Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second	128
	(f) Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second	129
	(g) Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second	130
	(h) Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second	131
	(i) Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second	132
	(j) Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second	133

Figure		Page
	(k) Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second	134
	(l) Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second	135
15	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 100/4000 nautical mile orbit	
	(a) Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second	136
	(b) Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second	137
	(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	138
	(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	139
	(e) Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second	140
	(f) Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second	141
	(g) Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second	142
	(h) Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second	143
	(i) Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second	144
	(j) Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second	145

Figure		Page
	(k) Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second	146
	(l) Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second	147
16	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 100/6000 nautical mile orbit	
	(a) Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second	148
	(b) Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second	149
	(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	150
	(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	151
	(e) Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second	152
	(f) Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second	153
	(g) Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second	154
	(h) Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second	155
	(i) Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second	156
	(j) Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second	157

Figure		Page
	(k) Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second	158
	(l) Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second	159
17	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for a 100/1000 nautical mile orbit	
	(a) Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second	160
	(b) Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second	161
	(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	162
	(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	163
	(e) Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second	164
	(f) Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second	165
	(g) Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second	166
	(h) Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second	167
	(i) Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second	168
	(j) Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second	169

Figure		Page
	(k) Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second	170
	(l) Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second	171
18	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for a 125/300 nautical mile orbit	
	(a) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second	172
	(b) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second	173
	(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	174
	(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	175
	(e) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second	176
	(f) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second	177
19	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 125/600 nautical mile orbit	
	(a) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second	178
	(b) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second	179

Figure		Page
	(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	180
	(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	181
	(e) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second	182
	(f) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second	183
20	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for a 125/800 nautical mile orbit	
	(a) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second	184
	(b) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second	185
	(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	186
	(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	187
	(e) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second	188
	(f) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second	189
21	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 125/1000 nautical mile orbit	
	(a) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second	190

Figure		Page
	(b) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second	191
	(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	192
	(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	193
	(e) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second	194
	(f) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second	195
22	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for a 125/2000 nautical mile orbit	
	(a) Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second	196
	(b) Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second	197
	(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	198
	(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	199
	(e) Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second	200
	(f) Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second	201

Figure		Page
(g)	Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second	202
(h)	Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second	203
(i)	Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second	204
(j)	Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second	205
(k)	Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second	206
(l)	Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second	207
23	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 125/4000 nautical mile orbit	
(a)	Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second	208
(b)	Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second	209
(c)	Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	210
(d)	Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	211
(e)	Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second	212
(f)	Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second	213

Figure		Page
	(g) Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second	214
	(h) Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second	215
	(i) Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second	216
	(j) Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second	217
	(k) Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second	218
	(l) Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second	219
24	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 125/6000 nautical mile orbit	
	(a) Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second	220
	(b) Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second	221
	(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	222
	(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	223
	(e) Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second	224
	(f) Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second	225

Figure		Page
	(g) Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second	226
	(h) Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second	227
	(i) Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second	228
	(j) Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second	229
	(k) Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second	230
	(l) Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second	231
25	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 125/10 000 nautical mile orbit	
	(a) Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second	232
	(b) Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second	233
	(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	234
	(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	235
	(e) Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second	236
	(f) Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second	237

Figure		Page
	(g) Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second	238
	(h) Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second	239
	(i) Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second	240
	(j) Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second	241
	(k) Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second	242
	(l) Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second	243
26	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 150/300 nautical mile orbit	
	(a) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second	244
	(b) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second	245
	(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	246
	(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	247
	(e) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second	248
	(f) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second	249

Figure		Page
27	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 150/600 nautical mile orbit	
(a)	Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second	250
(b)	Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second	251
(c)	Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	252
(d)	Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	253
(e)	Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second	254
(f)	Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second	255
28	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 150/800 nautical mile orbit	
(a)	Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second	256
(b)	Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second	257
(c)	Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	258
(d)	Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	259

Figure		Page
	(e) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second	260
	(f) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second	261
29	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 150/1000 nautical mile orbit	
	(a) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second	262
	(b) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second	263
	(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	264
	(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	265
	(e) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second	266
	(f) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second	267
30	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 150/2000 nautical mile orbit	
	(a) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	268
	(b) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	269

Figure		Page
(c)	Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second	270
(d)	Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second	271
(e)	Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second	272
(f)	Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second	273
(g)	Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second	274
(h)	Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second	275
(i)	Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second	276
(j)	Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second	277
31	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 150/4000 nautical mile orbit	
(a)	Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	278
(b)	Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	279
(c)	Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second	280
(d)	Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second	281

Figure		Page
(e)	Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second	282
(f)	Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second	283
(g)	Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second	284
(h)	Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second	285
(i)	Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second	286
(j)	Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second	287
32	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 150/6000 nautical mile orbit	
(a)	Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	288
(b)	Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	289
(c)	Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second	290
(d)	Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second	291
(e)	Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second	292
(f)	Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second	293

(g)	Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second	294
(h)	Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second	295
(i)	Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second	296
(j)	Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second	297
33	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 100/10 000 nautical mile orbit	
(a)	Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second	298
(b)	Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second	299
(c)	Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	300
(d)	Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	301
(e)	Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second	302
(f)	Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second	303
(g)	Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second	304
(h)	Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second	305

Figure		Page
	(i) Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second	306
	(j) Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second	307
	(k) Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second	308
	(l) Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second	309
34	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 200/300 nautical mile orbit	
	(a) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second	310
	(b) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second	311
	(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	312
	(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	313
	(e) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second	314
	(f) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second	315
35	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 200/400 nautical mile orbit	
	(a) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second	316

Figure		Page
	(b) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second	317
	(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	318
	(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	319
	(e) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second	320
	(f) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second	321
36	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 200/600 nautical mile orbit	
	(a) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second	322
	(b) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second	323
	(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	324
	(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	325
	(e) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second	326
	(f) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second	327

37	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 200/800 nautical mile orbit	
(a)	Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second	328
(b)	Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second	329
(c)	Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	330
(d)	Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	331
(e)	Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second	332
(f)	Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second	333
38	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 200/1000 nautical mile orbit	
(a)	Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second	334
(b)	Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second	335
(c)	Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	336
(d)	Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	337

Figure		Page
	(e) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second	338
	(f) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second	339
39	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for a 200/2000 nautical mile orbit	
	(a) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	340
	(b) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	341
	(c) Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second	342
	(d) Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second	343
	(e) Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second	344
	(f) Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second	345
	(g) Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second	346
	(h) Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second	347
	(i) Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second	348
	(j) Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second	349

40	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 200/4000 nautical mile orbit	
(a)	Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	350
(b)	Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	351
(c)	Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second	352
(d)	Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second	353
(e)	Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second	354
(f)	Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second	355
(g)	Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second	356
(h)	Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second	357
(i)	Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second	358
(j)	Time from retrograde and central angle for retrograde $\Delta V = 2100$ feet per second	359
41	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for a 200/6000 nautical mile orbit	
(a)	Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	360

Figure		Page
	(b) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	361
	(c) Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second	362
	(d) Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second	363
	(e) Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second	364
	(f) Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second	365
	(g) Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second	366
	(h) Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second	367
	(i) Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second	368
	(j) Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second	369
42	Reentry parameters as a function of true anomaly of retrofire from various pitch angles for a 200/10 000 nautical mile orbit	
	(a) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second	370
	(b) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second	371

Figure		Page
(c)	Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second	372
(d)	Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second	373
(e)	Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second	374
(f)	Time from retrograde and central angle for retrograde $\Delta V = 1300$ feet per second	375
(g)	Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second	376
(h)	Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second	377
(i)	Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second	378
(j)	Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second	379
43	Minimum ΔV necessary to reenter from perigee as a function of apogee altitude	
(a)	Perigee altitude = 80 nautical miles	380
(b)	Perigee altitude = 100 nautical miles	381
(c)	Perigee altitude = 125 nautical miles	382
(d)	Perigee altitude = 150 nautical miles	383
(e)	Perigee altitude = 200 nautical miles	384

MSC INTERNAL NOTE NO. 67-FM-35

PARAMETRIC REENTRY STUDY OF ELLIPTIC EARTH ORBITS
WITH APOGEES UP TO 10 000 NAUTICAL MILES

By William R. Pruett
Flight Analysis Branch

April 6, 1967

MISSION PLANNING AND ANALYSIS DIVISION
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION
MANNED SPACECRAFT CENTER
HOUSTON, TEXAS

Approved: Charlie C. Allen
for C. R. Hicks, Jr., Chief
Flight Analysis Branch

Approved: John P. Mayer
John P. Mayer, Chief
Mission Planning and Analysis Division

PARAMETRIC REENTRY STUDY OF ELLIPTIC
EARTH ORBITS WITH APOGEES UP TO 10 000 NAUTICAL MILES


By William R. Pruett

SUMMARY AND INTRODUCTION

This document is presented as an extension of several similar internal notes which have been published as an aid in general mission planning (ref. 1 through 5). Since these earlier internal notes consider only circular and low elliptic orbits, it was thought desirable to publish a similar study on high elliptic orbits. Therefore, this document considers elliptic orbits with perigees up to 200 n. mi. and apogees up to 10 000 n. mi. For each orbit considered, various retrofire ΔV 's were used every 10° in true anomaly from 0° to 360° . Also, retrograde pitch angles of 0° , 10° , 20° , 30° , 40° , and 50° were used for each ΔV .

MATHEMATICAL MODEL

Keplerian equations, a spherical rotating earth, and instantaneous velocity changes were used in this study. The Keplerian solutions were obtained from a general elliptical orbit and reentry program, EO42. A reentry altitude of 400 000 ft and a circular earth with a radius of 20 907 447 ft were used. Beta angles are measured positive clockwise from the local horizontal as indicated in the figure below.





DISCUSSION OF RESULTS

The results of the study are presented in 43 figures of inertial velocity at 400 000 ft, inertial flight-path angle at 400 000 ft, time from retrofire to 400 000 ft, and central angle of travel (orbit referenced) from retrofire to 400 000 ft. All of these parameters are plotted as a function of true anomaly of retrofire. The various pitch angle curves are found on each plot. A complete set of figures is provided for each orbit and ΔV considered.



It should be noted that for the orbits with apogees less than 1000 n. mi., ΔV 's of from 100 fps to 700 fps were used, while ΔV 's from 100 fps to 2100 fps were used for the orbits with apogees from 2000 n. mi. to 10 000 n. mi. This was done in order to present the most valuable picture of reentries throughout the entire orbit without using unrealistic ΔV 's for the orbit being considered. However, for the higher apogees, ΔV 's of 2100 fps were still not sufficient to reenter from the perigee region. Therefore, figures 43 (a) through (e) were prepared to indicate the ΔV 's needed in this region.

The figures present the minimum ΔV needed at perigee to achieve a reentry. There is a figure for each perigee altitude considered in the document, and the apogee altitudes are used as the parameter which ΔV is plotted against. Thus, for any of the orbits in this document, one may determine the minimum ΔV needed at perigee to reenter. Naturally, these reentries would have flight-path angles near 0° at 400 000 ft, and the ΔV needed to achieve such a reentry would be the minimum ΔV needed to be assured of reentry capability from anywhere in the orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second.

Figure 1.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second.

Figure 1.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V \approx 300$ feet per second.

Figure 1.- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 1.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 1.- Continued.





(g) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second.

Figure 1.- Continued.





(h) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second.

Figure 1.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second.

Figure 2.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 80/400 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second.

Figure 2.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second.

Figure 2.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second.

Figure 2.- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 2.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 2.- Continued.





(g) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second.

Figure 2 - Continued.





(h) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second.

Figure 2.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second.

Figure 3.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for a 80/600 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second.

Figure 3.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second.

Figure 3.- Continued





(d) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second.

Figure 3.- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 3.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 3.- Continued.





(g) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second.

Figure 3.- Continued.





(h) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second.

Figure 3.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second.

Figure 4.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 80/800 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second.

Figure 4.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second.

Figure 4.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second.

Figure 4.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 4.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 4.- Continued.




(g) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second.

Figure 4.- Continued





(h) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second.

Figure 4.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second

Figure 5.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 80/1000 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second.

Figure 5.- Continued.




(c) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second.

Figure 5.- Continued.



(d) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second.

Figure 5.- Continued.



(e) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.





Figure 5.- Continued.



(f) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.








Figure 5.- Continued.





(g) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second.

Figure 5.- Continued.





(h) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second.

Figure 5.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second.

Figure 6.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 80/2000 nautical mile orbit.




(b) Time from retrofire and central angle for retrograde $\Delta V = 1.00$ feet per second.

Figure 6.- Continued.



(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 6.- Continued.



(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.








Figure 6.- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second.

Figure 6.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second.

Figure 6.- Continued.





(g) Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second.

Figure 6.- Continued.





(h) Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second.

Figure 6.- Continued.




(i) Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second.

Figure 6.- Continued.




(j) Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second.



Figure 6.- Continued.



(k) Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second.


Figure 6.- Continued.







(I) Time from retrofire and central angle for retrograde $\Delta V = 21.00$ feet per second.

Figure 6.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second.

Figure 7 - Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 80/4000 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second.

Figure 7.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 7.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 7.- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V=900$ feet per second

Figure 7.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V=900$ feet per second.

Figure 7.- Continued.





(g) Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second.

Figure 7.- Continued.





(h) Time from retrofire and central angle for retrograde $\Delta V=1300$ feet per second.

Figure 7.- Continued.





(1) Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second.

Figure 7.- Continued.





(j) Time from retrofire and central angle for retrograde $\Delta V=1\,700$ feet per second.

Figure 7.- Continued.





(k) Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second.

Figure 7.- Continued.





(I) Time from retrofire and central angle for retrograde $\Delta V=2100$ feet per second.

Figure 7.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second.

Figure 8.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 80/6000 nautical miles orbit





(b) Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second.

Figure 8.- Continued.




(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 8.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 8.- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second.

Figure 8.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second.

Figure 8.- Continued.




(g) Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second.

Figure 8.- Continued.





(h) Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second.

Figure 8.- Continued.





(1) Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second.

Figure 8.- Continued.





(j) Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second.

Figure 8.- Continued.





(k) Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second.

Figure 8.- Continued.





(1) Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second.

Figure 8.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second.

Figure 9.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 80/10 000 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second.

Figure .- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 9.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 9.- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second.

Figure 9.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second.

Figure 9.- Continued.





(g) Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second.

Figure 9.- Continued.





(h) Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second.

Figure 9.- Continued.





(1) Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second.

Figure 9.- Continued.





(j) Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second.

Figure 9.- Continued.





(k) Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second.

Figure 9.- Continued.





(1) Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second.

Figure 9.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second.

Figure 10.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for a 100/300 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second.

Figure 10.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second.

Figure 10.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second.

Figure 10.- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 10.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 10.- Continued.





(g) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second.

Figure 10.- Continued.





(h) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second.

Figure 10.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second.

Figure 11.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 100/600 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second.

Figure 11.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second.

Figure 11.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second.

Figure 11.- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 11.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 11.- Continued.




(g) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second.

Figure 11.- Continued.



(h) Time from retrofire and central angle for retrograde $\Delta V=700$ feet per second.

Figure 11.- Concluded.



(a) Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second.








Figure 12.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 100/800 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second.

Figure 12.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second.

Figure 12.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second.

Figure 12- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 12.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second,

Figure 12.- Continued.





(g) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second.

Figure 12.- Continued.





(h) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second.

Figure 12.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second.

Figure 13.- Roentry parameters as a function of true anomaly of retrofire from various pitch angles for 100/1000 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second.

Figure 13.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second.

Figure 13.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second.

Figure 13.- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second

Figure 13.- Continued





(f) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 13.- Continued.





(g) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second.

Figure 13.- Continued.





(h) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second.

Figure 13.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second.

Figure 14.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 100/2000 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second.

Figure 14.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 14.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 14.- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second.

Figure 14.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second.

Figure 14.- Continued.





(g) Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second.

Figure 14.- Continued.





(h) Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second.

Figure 14.- Continued.





(i) Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second.

Figure 14.- Continued.





(j) Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second.

Figure 14.- Continued.




(k) Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second

Figure 14.- Continued.





(I) Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second.

Figure 14.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second.

Figure 15.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 100/4000 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second.

Figure 15.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 15.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 15.- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second.

Figure 15.- Continued





(f) Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second.

Figure 15.- Continued.





(g) Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second.

Figure 15.- Continued.





(h) Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second.

Figure 15.- Continued.





(i) Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second.

Figure 15.- Continued.





(j) Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second.

Figure 15.- Continued.




(k) Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second.

Figure 15.- Continued.





(b) Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second.

Figure 15.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second.

Figure 16.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 100/6000 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V=100$ feet per second.

Figure 16.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 16.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 16.- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second.

Figure 16.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second.

Figure 16.- Continued.





(g) Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second.

Figure 16.- Continued.





(h) Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second.

Figure 16.- Continued.





(i) Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second.

Figure 16.- Continued.





(j) Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second.

Figure 16.- Continued.





(k) Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second.

Figure 16.- Continued.





(i) Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second.

Figure 16.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second.

Figure 17.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for a 100/1000 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second.

Figure 17.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 17.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 17.- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second.

Figure 17.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second.

Figure 17.- Continued.





(g) Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second.

Figure 17.- Continued.





(h) Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second.

Figure 17.- Continued.





(i) Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second.

Figure 17.- Continued.





(j) Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second.

Figure 17.- Continued.





(k) Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second.

Figure 17.- Continued.





(l) Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second.

Figure 17.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second.

Figure 18.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for a 125/300 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second.

Figure 18.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 18.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 18.- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second.

Figure 18.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second.

Figure 18.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second.

Figure 19.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 125/600 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second.

Figure 19.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 19.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 19.- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second.

Figure 19.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V=700$ feet per second. .

Figure 19.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second.

Figure 20.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for a 125/800 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second.

Figure 20.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 20.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 20.- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second.

Figure 20.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second.

Figure 20.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second.

Figure 21.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 125/1000 nautical mile orbit.




(b) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second.

Figure 21.- Continued.



(c) Flight-path angle and velocity for retrograde $\Delta V=500$ feet per second.

Figure 21.- Continued.



(d) Time from retrofire and central angle for retrograde $\Delta V=500$ feet per second.








Figure 21.- Continued.




(c) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second.

Figure 21.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second.

Figure 21.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second.

Figure 22.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for a 125/2000 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second.

Figure 22.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 22.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 22.- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second.

Figure 22,- Continued,





(f) Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second.

Figure 22.- Continued.





(g) Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second.

Figure 22.- Continued.





(h) Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second.

Figure 22.- Continued.





(i) Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second.

Figure 22.- Continued.





(j) Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second.

Figure 22.- Continued.





(k) Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second.

Figure 22.- Continued.





(1) Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second.

Figure 22.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second.

Figure 23.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 125/4000 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second.

Figure 23.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 23.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 23.- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second.

Figure 23.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second.

Figure 23.- Continued.





(g) Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second.

Figure 23.- Continued.





(h) Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second.

Figure 23.- Continued.





(i) Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second.

Figure 23.- Continued.





(j) Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second.

Figure 23.- Continued.





(k) Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second.

Figure 23.- Continued.





(b) Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second.

Figure 23.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 100$ feet per second.

Figure 24.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 125/6000 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second.

Figure 24.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V \approx 500$ feet per second.

Figure 24.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 24.- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second.

Figure 24.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second.

Figure 24.- Continued.





(g) Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second.

Figure 24.- Continued.





(h) Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second.

Figure 24.- Continued.





(1) Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second.

Figure 24.- Continued.





(j) Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second.

Figure 24.- Continued.





(k) Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second.

Figure 24.- Continued.





(1) Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second.

Figure 24.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V=100$ feet per second.

Figure 25.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 125/10 000 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V=100$ feet per second.

Figure 25.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 25.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 25.- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V=900$ feet per second.

Figure 25.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V=900$ feet per second.

Figure 25.- Continued.





(g) Flight-path and velocity for retrograde $\Delta V = 1300$ feet per second.

Figure 25.- Continued.





(h) Time from retrofire and central angle for retrograde $\Delta V=1300$ feet per second.

Figure 25.- Continued.





(i) Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second.

Figure 25.- Continued.





(j) Time from retrofire and central angle for retrograde $\Delta V=1700$ feet per second.

Figure 25.- Continued.





(k) Flight-path angle and velocity for retrograde $\Delta V = 21.00$ feet per second.

Figure 25.- Continued.





(I) Time from retrofire and central angle for retrograde $\Delta V=2100$ feet per second.

Figure 25.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second.

Figure 26.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 150/300 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second.

Figure 26.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 26.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 26.- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second.

Figure 26.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second.

Figure 26.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second.

Figure 27.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 150/600 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second.

Figure 27.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 27.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 27.- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second.

Figure 27.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second.

Figure 27.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second.

Figure 28.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 150/800 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second.

Figure 28.- Continued





(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 28.- Continued





(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 28.- Continued





(e) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second.

Figure 28.- Continued





(f) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second.

Figure 28.- Concluded





(a) Flight-path angle and velocity for retrograde $\Delta V=300$ feet per second.

Figure 29.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 150/1000 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V=300$ feet per second.

Figure 29.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V=500$ feet per second.

Figure 29.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 29.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V=700$ feet per second.

Figure 29.- Continued.




(f) Time from retrofire and central angle for retrograde $\Delta V=700$ feet per second.

Figure 29.- Concluded.



(a) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 30.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 150/2000 nautical mile orbit.



(b) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.








Figure 30.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second.

Figure 30.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second.

Figure 30.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second.

Figure 30.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second.

Figure 30.- Continued.





(g) Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second.

Figure 30.- Continued.





(h) Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second.

Figure 30.- Continued.





(i) Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second.

Figure 30.- Continued.





(j) Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second.

Figure 30. - Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 31.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 150/4000 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 31.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second.

Figure 31.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second.

Figure 31.- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second.

Figure 31.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V \approx 1300$ feet per second.

Figure 31.- Continued.




(g) Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second.

Figure 31.- Continued.





(h) Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second.

Figure 31.- Continued.





(i) Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second.

Figure 31.- Continued.





(j) Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second.

Figure 31.- Concluded.




(a) Flight path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 32.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 150/6000 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 32.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second.

Figure 32.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second.

Figure 32.- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second.

Figure 32.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second.

Figure 32.- Continued.





(g) Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second.

Figure 32.- Continued.





(h) Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second.

Figure 32.- Continued.





(1) Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second.

Figure 32.- Continued.





(j) Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second.

Figure 32.- Concluded.




(a) Flight-path angle and velocity for retrograde $\Delta V \approx 100$ feet per second.

Figure 33.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 100/10 000 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 100$ feet per second.

Figure 33.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 33.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 33.- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second.

Figure 33.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second.

Figure 33.- Continued.





(g) Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second.

Figure 33.- Continued.





(h) Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second.

Figure 33.- Continued.





(i) Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second.

Figure 33.- Continued.





(j) Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second.

Figure 33.- Continued.





(k) Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second.

Figure 33.- Continued.





(I) Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second.

Figure 33.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second.

Figure 34.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 200/300 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V=300$ feet per second.

Figure 34.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 34.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 34.- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second.

Figure 34.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second.

Figure 34.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second.

Figure 35.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 200/400 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second.

Figure 35.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 35.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 35.- Continued.




(c) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second.

Figure 35.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second.

Figure 35.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second.

Figure 36.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 200/600 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second.

Figure 36.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 36.- Continued.





(a) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 36.- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second.

Figure 36.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second.

Figure 36.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second.

Figure 37.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 200/800 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second.

Figure 37.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 37.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 37.- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second.

Figure 37.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second.

Figure 37.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 300$ feet per second.

Figure 38.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 200/1,000 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 300$ feet per second.

Figure 38.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 38.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 38.- Continued.




(e) Flight-path angle and velocity for retrograde $\Delta V = 700$ feet per second.

Figure 38.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V = 700$ feet per second.

Figure 38.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 39.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for a 200/2000 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 39.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second.

Figure 39.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second.

Figure 39.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V=1300$ feet per second.

Figure 39.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V=1300$ feet per second.

Figure 39.- Continued.





(g) Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second.

Figure 39.- Continued.





(h) Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second.

Figure 39.- Continued.





(i) Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second.

Figure 39.- Continued.





(J) Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second.

Figure 39.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 40.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 200/4 000 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 40.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second.

Figure 40.- Continued.





(d) Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second.

Figure 40.- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second.

Figure 40.- Continued.





(f) Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second.

Figure 40.- Continued.





(g) Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second.

Figure 40.- Continued.





(h) Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second.

Figure 40.- Continued.





(i) Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second.

Figure 40.- Continued.





(j) Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second.

Figure 40.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 41.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for 200/6000 nautical mile orbit.





(b) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 41.- Continued.





(c) Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second.

Figure 41.- Continued.




(d) Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second.

Figure 41.- Continued.




(c) Flight-path angle and velocity for retrograde $\Delta V \approx 1300$ feet per second.



Figure 41.- Continued.



(F) Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second.



Figure 41.- Continued.







(g) Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second.

Figure 41.- Continued.





(h) Time from retrofire and central angle for retrograde $\Delta V = 1700$ feet per second.

Figure 41.- Continued. .





(1) Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second.

Figure 41.- Continued.





(j) Time from retrofire and central angle for retrograde $\Delta V = 2100$ feet per second.

Figure 41.- Concluded.





(a) Flight-path angle and velocity for retrograde $\Delta V = 500$ feet per second.

Figure 42.- Reentry parameters as a function of true anomaly of retrofire from various pitch angles for a 200/10 000 nautical mile orbit.




(b) Time from retrofire and central angle for retrograde $\Delta V = 500$ feet per second.

Figure 42.- Continued.



(c) Flight-path angle and velocity for retrograde $\Delta V = 900$ feet per second.

Figure 42.- Continued.



(d) Time from retrofire and central angle for retrograde $\Delta V = 900$ feet per second.








Figure 42.- Continued.





(e) Flight-path angle and velocity for retrograde $\Delta V = 1300$ feet per second.

Figure 42.- Continued.




(f) Time from retrofire and central angle for retrograde $\Delta V = 1300$ feet per second.

Figure 42.- Continued.



(g) Flight-path angle and velocity for retrograde $\Delta V = 1700$ feet per second.

Figure 42.- Continued.



(h) Time from retrograde and central angle for retrograde $\Delta V = 1700$ feet per second.








Figure 42.- Continued.




(1) Flight-path angle and velocity for retrograde $\Delta V = 2100$ feet per second.

Figure 42.- Continued.




(j) Time from retrograde and central angle for retrograde $\Delta V = 2100$ feet per second.

Figure 42.- Concluded.




(a) Perigee altitude = 80 nautical miles.

Figure 43.- Minimum ΔV necessary to reenter from perigee as a function of apogee altitude.




(b) Perigee altitude = 100 nautical miles.

Figure 43.- Continued.




(c) Perigee altitude \approx 125 nautical miles.

Figure 43.- Continued.



(d). Perigee altitude = 150 nautical miles.

Figure 43.- Continued.



(e) Perigee altitude = 200 nautical miles

Figure 43.- Concluded.

REFERENCES

1. Suler, Frank J.: General Parametric Reentry Study for Near Earth Orbits. MSC Internal Note No. 65-FM-45, April 29, 1965.
2. Pruett, William R.: General Parametric Reentry Study for Circular Earth Orbits up to 20 000 Nautical Miles. MSC Internal Note No. 66-FM-47, May 20, 1966.
3. Pruett, William R.: A Parametric Study of Central Angle of Travel and Time for Reentry From Near Earth Orbits. MSC Internal Note No. 66-FM-79, August 12, 1966.
4. Pruett, William R.: A Parametric Study of Central Angle of Travel and Time for Reentry From Near-Earth Circular Orbits. MSC Internal Note No. 66-FM-126, October 31, 1966.
5. Pruett, William R.: General Parametric Reentry Study for Several Synchronous Earth Orbits. MSC Internal Note No. 67-FM-15, February 3, 1967.